

.5	<b>INFUSION CONTAINING</b>	110	....Slide or pivot of match comb
.6	<b>FOR GAS</b>	111	...Nonflap type
.7	.With gas storing absorbent or solvent	112	...Striker surface on outside of cover flap
.8	<b>FOR COIN (E.G., MAT)</b>	113	....Access through tuck-flap aperture
.81	.Combined	114	....At comb back
.815	.Bulk coin receptacle having a coin insertion slit or slot (e.g., savings bank type)	115	...Match-head shield
.82	.With closing or fastening means	116	..Pivotally mounted comb
.83	..Multiple pocket or compartment	117	..With integral debris receiver
.84	.Multiple pocket or compartment	118	..Discrete case for book
85	<b>WITH IGNITER FOR TOBACCO CONTENT</b>	119	..Attachment means
86	.Combined	120	...For ash tray
87	.Igniter is flint-wick type	121	.Plural matches grouped in box
88	..Interrelated ignition and content access	122	..Plural boxes grouped in box
89	..With common access to igniter and content	123	..Gravity feed to access port
90	.Igniter is match	124	...Convertible from box
91	..Inner compartment slides relative to outer	125	...With debris receiver
92	..Swingable container flap or cover provides access to match	126	..Mechanistic means to raise content
93	...Unitary foldable blank container and match cover unit	127	..With means to support or attach box
94	..Attached to or carried by external container	128	...Convertible from box
95	...Having means to receive cover flap of match packet (e.g., tongue and slot connection)	129	...With means to expose match
96	<b>MATCH PACKET, CONTAINER, OR HOLDER (E.G., MATCH SAFE)</b>	130	...Including debris receiver
97	.With windguard	131	..With discrete case for box
98	.Striker surface in withdrawal path of match	132	...Including debris receiver
99	..Match comb type	133	..With debris receiver
100	..Opposed striker surfaces	134	.With support or attachment means (for loose matches)
101	.Means to secure to person or garment	135	..With debris receiver
102	.With disparate article, article receiver or display feature (not ash tray or tobacco)	136	.With debris receiver
103	..Match comb type	137	.With separate striker member
104	.Match comb type	138	..Magazine supply
105	..Plural "books"	730	<b>STOCK AND SAMPLE</b>
106	..With accidental ignition prevention means or arrangement	731	.Wall portion movable to expose sample only
107	...Discrete holder	732	.Sample attached to stock closure
108	...Striker surface guard or shield	733	.Sample held in aperture
109	....Groove or opposed surfaces	734	.Sample held in recess
		735	.Means to elevate sample above stock
		736	<b>CONVERTIBLE TO OR FROM DISPLAY CONFIGURATION (E.G., FROM OR TO SHIPPING CONFIGURATION)</b>
		737	.Tilting vertical wall providing flared volume for viewing card or sheet
		738	.Having removal facilitating means
		739	..Plural contents manipulated for removal
		740	.Terraced or stepped shelves

741	..Inclination of container creates stepped shelves	769	.Having window or transparent wrapper
742	..Cover is attached or includes stepped shelf	770	..Transparent wrapper
743	..Including movable linked shelves	771	..Entirely covers a wall
744	..Including exposable shelves	772	..Exposed by moving panel
745	.Sectional or multiple movable compartment type	773	...Pivoted
746	..Having rupturable wall portion	774	.Portion moves to expose content
747	..Sections pivotally movable	139	<b>PORTABLE SEGREGATING CARRIER FOR PLURAL CYLINDRICAL BEVERAGE- TYPE RECEPTACLES (E.G., BEER CANS, POP BOTTLES)</b>
748	...Three or more sections	140	.Noncollapsible carrier with tongue and aperture-type interlock between exterior walls
749	...Pivoted about horizontal axis	141	.Handle struck from top wall
750	....Folded blank	142	.Handle retainer container mutually coact for grasping receptacles
751	.Cover-operated positioning means	143	..Handle means interposed between receptacles
752	..Positioning means on cover	144	.Interlocking carriers
753	...Positioning means enlargable	145	.Receptacle chime, or closure cap flange, engaging type (e.g., "six-pack")
754	..Cover opening forces movement of positioning means	146	..Having additional retainer for disparate article
755	...Through pivotal link (e.g., hinge or fold line)	147	..Unitary retainer or foldable blank packaging unit
756	.Having content positioning means	148	...Inwardly struck tab engages radially extending shoulder of chime or edge of cap skirt
757	..Located on or formed by outwardly swingable sidewall	149	...Inwardly struck tab engages inner cylindrical surface of chime
758	..Slidable	150	...Band or strand type
759	..Pivotally mounted	151	...Unitary retainer grips chime perimetrically
760	...At material fold	152	...Slots spaced along fold line from retaining apertures
761	..Follower or adjustable bottom	153	....Only one end of retained receptacles engaged
762	..Movable to inclined support position	154	....Chimes at both ends of retained receptacle held in slots
763	..Aperture	155	....Sleeve-type container with end walls
764	..Having separate stand	156	...Retaining flap includes periphery of blank
765	..Supporting bed or platform on receptacle bottom	157	....Flap projects between rows of receptacles
766	..Pivotable wall providing side display	158	...Rim of aperture in horizontal wall engages chime
45.2	..With cover convertible to easel or receptacle support		
45.21	..Folded blank box		
45.22	...Multiple blank		
45.23	..Pivoted cover		
45.24	..With folding easel or receptacle support		
45.25	..Folded blank box		
45.26	...Support cut from receptacle wall		
45.27	...Multiple blank		
767	..Having movable display card		
768	..Exposable pop-up display card		
45.28	..With cover convertible to display card		
45.29	..Folded blank box		
45.3	...Multiple blank		

159	..Clip-type retainer interlocks with chimes of juxtaposed receptacles	191	.....Transverse wall folded from center wall and sidewall
160	..Spacer abuts side and chimes of receptacles	192	..Divisible carrier
161	..Finger-hole carrier means	193	..Folded blank with means for receptacle compartment or spacer
162	..Pendent from handle	194	...With apertured receptacle retaining wall
163	..Handle bodily shiftable vertically	195	....Multiple receptacles in single aperture
164	...With hooked end	196	....With additional receptacle separator
165	...Panel type	197	...With positioning cutout
166	....Retractable into carrier	198	...Tray with center wall forming a handle
167	..Part movable to receptacle loading position	199	..Having apertured panel for receptacle
168	...Bottle neck engaged in wall aperture	200	..Folded blank carrier with applied handle
169	...Retained in carrying position by handle	201	..Rigid grid support and retainer
170	..Collapsible	202	...Formed of wire
171	...Having anticollapse latch	203	..Molded plastic tray
172	....Involving middle wall	77.1	<b>WITH SOAP-HANDLING MEANS</b>
173	.....Interlock with bottom	204	<b>WITH MOISTURE ABSORBENT</b>
174	...Individual receptacle positioning means	205	<b>INCLUDING ANCILLARY ARTICLE CONTACTING MEDIUM</b>
175	....Folded blank type	206	.For fastener
176	.....Multiple blanks	207	.For tool or appliance
177	.....Severable blank	208	..Razor
178	.....Separate blank forms transverse wall	209	..Brush
179	.....U-shaped member	209.1	...Transverse bristle
180	.....Center wall	210	..Body treatment
181	.....Horizontally and vertically folded slide flap forms transverse wall	211	.For spark plug
182	.....Single center wall folded from bottom	212	.For thermometer
183	.....Confronting center walls folded from bottom	213	.For apparel
184	.....Lower margins of center walls connected at horizontal fold	213.1	.Gas medium
185	.....Center walls connected at vertically extending fold, one free end wall	214	<b>FOR PLURAL STATIONERY IMPLEMENTS</b>
186	.....One center wall folded on horizontal line	215	<b>FOR STATIONERY OR CARBON PAPER</b>
187	.....Two center walls folded on horizontal line	551	<b>FOR PASTRY WEDGE, PER SE; E.G., PIE SLICE</b>
188	.....Doubled center walls folded from different end walls	219	<b>FOR MIXING</b>
189	.....Sidewalls folded from unitary bottom wall	220	.Including free mixing element (e.g., pestle)
190	.....Transverse wall folded from center wall only	221	.Means to manipulate without rupture
		222	.Tear strip or piercer
		216	<b>COMBINED OR CONVERTIBLE</b>
		217	.Including drinking vessel
		218	..Collapsible
		223	.Packaged assemblage or kit
		541	..Camp or lunch type
		550	...With external vent
		542	...With specified nonfood characteristic; e.g., mirror

543	...With specified vacuum-type receptacle	238	...And cutting or comminuting means
544	...With retainer for vacuum-type receptacle	239	....For opening inserted package
545	...With structural, or composition, insulating feature	240	....For shaving plug
546	...Knockdown, or nested, mess gear type	241	....For cutting quid
547	...With canteen container	242	<b>FOR TOBACCO, PIPE OR CIGARETTE HOLDER</b>
548	...With flaccid wrapper	243	.Hat supported
549	...With specified means to carry or support	244	.Pipe
568	..Specified mixture components	245	.Laminate wall
569	..Test (e.g., diagnostic or indicator)	246	.With ash holder
570	..Therapeutic type (e.g., first aid, doctor kit)	247	.With antitampering means
571	...Syringe, hypodermic or catheter	248	.With means for holding package or bag at different levels in outer container
572	...Material with tool	249	.With ejector
573	..Signal, lamp or reflector	250	..Content withdrawal synchronized with cover opening
574	..Needlework or dressmaking	251	...In casing with two hinged complementary covers
575	..Arts, crafts or sign	252	..Having biasing means
576	..Household or office equipment (e.g., mixer-grinder, recording kit)	253	..Plunger type
577	..Knockdown	254	..Having pulling means
578	..Photography	255	..Follower type
579	..Game, sport or education	256	.With segregating means
580	..Lock with key	257	..Displaceable, resiliently joined, plural cell elements
581	..Cosmetic or toilet	258	..Flexible web
582	..Patch (e.g., tire, tank, roof)	259	.Reinforcement or case for single cigarette package
224	..Draftsman or lettering	260	.Pouch type
225	..Including wound, or rolled, weblike material	261	.Casing formed of two hinged complementary covers
226	...With storage means in core	262	..Released by translation of covers
227	..Including thread or strip	263	..Having retaining member
228	..With razor	264	.With opening or separating means
229	..With content applicator or dispenser	265	.With closure
230	...Fastener and tool	266	..Biased
231	..Including fastener	267	..Sliding
232	..Including booklet, leaflet or record means	268	..Integral hinge
233	..Including tissue "dispensing" means	269	..Waterproof
38	.For pocket or personal use	270	..Telescoping
38.1	..Key case	271	.Sheet-formed receptacle
234	..Tools	272	..Twisted
235	..With vanity case	273	..Folded blank
236	..With tobacco product	274	..Sealed
237	...And paper	275	..Shield
		276	.End cover for cigar or cigarette
		277	<b>FOR SQUEEZE TUBE (E.G., TOOTHPASTE TUBE)</b>
		81	<b>FOR COLOR OR PAINT MATCHING</b>
		1.7	<b>FOR ARTIST EQUIPMENT</b>
		1.8	.Paint holder (e.g., color box)

1.9	.Paint package	304.1	..Flaccid encasement
83	<b>FOR TEETH</b>	304.2	..Partial encasement (i.e., portion of article remains uncovered)
3	<b>FOR AMMUNITION</b>	305	<b>FOR AN INSTRUMENT (I.E., MEANS TO MEASURE, TEST OR INDICATE)</b>
5	<b>FOR EYEGLASS OR SPECTACLE</b>	306	.Thermometer
5.1	.Contact lens	307	<b>FOR HOLDING A MACHINE READABLE RECORDING MEDIUM (E.G., COMPACT DISC, PHONOGRAPH RECORD, TAPE, FLOPPY DISK)</b>
6	.Hinged parts	307.1	.For holding plural diverse recording media in the same holder
6.1	<b>FOR JEWELRY</b>	308	.For holding a music roll
278	<b>FOR APPAREL</b>	15	.For holding a phonograph cylinder
278.1	.Cedar chest type	308.1	.For holding an optical disc (e.g., compact disc)
8	.Hat and headwear	308.2	..Including structure intended to prevent theft or unauthorized use
9	..Rack, frame, or ring	308.3	.For holding a housed computer disk (e.g., floppy disk)
11	.Fur	309	.For holding a grooved phonograph disc
279	.Means to hold article hanger or support	310	..Including spindlelike retainer
280	.Reinforced wall	311	..Album type
281	.Indicia	312	..Jacket or folder
282	.Means to facilitate article insertion	313	...Including a distinct liner, cushion or sleeve
283	..Wall spreader or swing arm attached to panel	387.1	.For holding a tape cassette
284	.Article hanger attachment extended from container	387.11	..Including structure intended to prevent theft or unauthorized use
285	..Removable article hangers retained in spaced relation	387.12	..Including a reciprocating support
286	..Bag-type container	387.13	..Including book-type cover
287	...Article completely enclosed	387.14	..For plural different sized cassettes or boxed and unboxed cassettes
287.1	....Foldable to compact use configuration	387.15	..Including plural slots for plural cassettes
288	.Article hanger integral with container	314	<b>FOR A MUSICAL ARTICLE</b>
289	.Article hanger suspended from container or attached support	14	.Violin
290	..Plural article hangers	315.1	<b>FOR A SPORT IMPLEMENT, EXERCISE DEVICE, OR GAME</b>
291	...Removable article hangers retained in spaced relation	315.2	.For a golf club
292	.Article retainer or positioner	315.3	..Golf bag
293	..Resilient or elastic member	315.4	...Including club head protector or cover
294	..Aperture	315.5	...Including pocket for golfing accessories
295	..Tongue struck from panel	315.6	...Including means for separating club shafts
296	..Member enters opening in retained article		
297	..Separate self-supporting folded blank		
298	..Bar, rod or tube		
299	.Single self-supporting folded blank forms container		
300	<b>FOR CLOTHES HANGER</b>		
301	<b>FOR TIME MECHANISM OR ELEMENT</b>		
18	.Watch or clock movement		
70	.Watch spring		
19	<b>SACRAMENTAL</b>		
302	<b>FOR A TIRE VALVE OR PATCH</b>		
303	<b>FOR AN ANNULAR ARTICLE</b>		
304	.Tire or inflated inner tube		

315.7	...Including means for maintaining bag in upright position	719	.Including electrical field, magnetic field, or static electricity shielding
315.8	...Including sidewall stiffener or reinforcement	720	..Bag
315.9	.For a ball	721	..Box formed from foldable sheet material
315.91	..Bowling ball	722	.Including component positioning means
315.11	.For hunting or fishing equipment	723	..In closed box
316.1	<b>FOR AN OPTICAL DEVICE OR ELEMENT (E.G., CAMERA, TELESCOPE, BINOCULARS, MICROSCOPE, LENS, FILTER, ETC.)</b>	724	..Frame for containing single component
316.2	.Camera	725	..Pockets for plural articles
316.3	.Binoculars	726	..Including lead or terminal retainer
317	<b>FOR A WEAPON</b>	727	...Lead sandwiched between panels
318	<b>FOR A BEARING OR JOURNAL</b>	728	...Groove or aperture for containing lead
319	<b>FOR A MOTOR OR ENGINE</b>	335	<b>FOR A VEHICLE</b>
320	<b>FOR A HOUSEHOLD APPLIANCE</b>	336	<b>FOR SAFETY PIN</b>
321	<b>FOR A BUILDING COMPONENT</b>	337	<b>FOR FORKED HAIRPIN</b>
322	.Brick, block or tile	338	<b>FOR A FASTENER</b>
323	.Shingle	339	.Surgical or wound type
324	..Self-sealing type	340	.Staple, clip, belt, or lacing hook
325	.Prehung door or window	341	..Retained in aperture of support member
326	<b>FOR FURNITURE OR DRAPE</b>	342	.Alternately reversed
327	<b>FOR SPARK PLUG</b>	343	.Flaccidly or integrally (but not severably) connected
701	<b>HOLDER FOR A REMOVABLE ELECTRICAL COMPONENT</b>	344	..Between lamina
702	.For an electrical cord	345	..Secured to common flaccid member
703	.For a battery	346	...Plane of member normal to extent of fastener
704	..Button battery (e.g., watch battery)	347	...Held by aperture in member
705	..Dry cell	348	<b>FOR HOOK, HANGER, EYE, CHAIN, BUTTON, CLASP (I.E., HABERDASHERY TYPE)</b>
706	.For a circuit board	349	<b>FOR A TOOL (E.G., KNIFE, SHAVER)</b>
707	..Having plural grooves for retaining circuit boards	350	.Magnetic holder
708	...On adjustable panels	351	.Powered razor
709	..Including shielding means for static electricity	352	.Razor blade
710	.For a semiconductor wafer	353	..Folded blank or wrapper
711	..Having plural grooves for retaining wafers	354	..Plural blades
712	..Tray having plural circular pockets	355	...With blade removal means
713	.Bar or tapelike carrier for plural components	356	....Providing for razor coaction
714	..Component retaining pockets	357	....Mid-blade access for finger
715	..Leads retained between layers	358	.....Alternate direction feeding
716	..Component retaining apertures	359	...Plus container for discarded blade
717	..Plural components integrally formed with bar or tapelike carrier	360	....Follower function for discard
718	.For aligned, contiguous components	361	.Brush (e.g., swab, sponge)
		362	..Plural
		362.1	...Transverse bristle

362.2	..Transverse bristle	394	..Axially aligned rolls
362.3	...Projecting handle	395	.Folded blank
15.2	..Closure supported	396	..Having core flap
15.3	...Projecting handle	397	.Wrapped, boxed, or secured through roll core
362.4	..Folded blank	398	.Peripheral reel cover
363	.Body treatment (i.e., surgical, but not cosmetic)	399	..Slat type
364	..Syringe (e.g., enema or catheter, per se)	400	..Single strip encircles reel
365	...Hypodermic or needle, per se	401	..Sheet segments
366	....Plural	402	..Reel flange closes outlike container
367	..Vaccine point	53	.With clamp
368	..Dental	54	..Centrally attached
369	...Plural	55	..Layer retained
370	..Plural or diverse	403	.Complementary bodies
371	.Desk-clerical, drafting or engineering type	404	..Quick release
553	.Eating or kitchen type	405	...Central connection
372	.Plural	406	....Resilient retainer
373	..Diverse	407	.Tubular housing with attached end wall
374	...Common handle	408	.With content positioner
375	..Common handle	409	.With pay-out aperture
376	..Wrenches	410	.Flaccid wrapper
377	...Inserted type	411	.Adhesive tape
378	...Socket type	412	.Interleaved roll components
379	..Drills or taps	413	.With end protector
380	..Needle type (e.g., sewing, knitting and including pins, toothpicks)	414	..Circumferential flange type
381	...Phonograph "needle"	415	..Core secured
382	...Carried in aperture of, or pierced through, retainer	416	...Opposite end protectors to same core
383	....Plane of retainer normal to extent of "needles"	417	.Batt
384	<b>FOR GREASE GUN CHARGE OR CARTRIDGE</b>	68	<b>FOR AN INCANDESCENT MANTLE</b>
385	<b>FOR LIPSTICK OR REFILL CARTRIDGE</b>	418	<b>FOR A FILAMENT OR SPACE DISCHARGE BULB OR TUBE</b>
386	<b>WITH PALLET FEATURE</b>	419	.Plural
595	.With handling aperture in content	420	..Set
596	.Specified multiple handling aperture pairs	421	..Axially aligned
597	.Binder wrap for content	422	..Allochiral arrangement
598	.Specified handling aperture	423	<b>FOR A PLANT, FLOWER, OR TREE (INCLUDES CUT OR ARTIFICIAL)</b>
599	.Specified pallet legs	424	<b>FOR A BOOK</b>
600	.Knockdown or collapsible type	425	<b>FILE FOR PLURAL CARDS OR SHEETS</b>
388	<b>NONSPOOLED FILAMENTARY MATERIAL (E.G., SKEIN)</b>	426	<b>FOR STEMWARE</b>
49	<b>EMBROIDERY, LACE, OR RUCHING</b>	436	<b>FOR PLURAL TETRAHEDRON RECEPTACLES</b>
389	<b>FOR ROLL OR REEL</b>	427	<b>FOR PLURAL BEVERAGE-TYPE RECEPTACLES</b>
390	.Concatenated articles	428	.Strap-type handle
391	.Plural rolls	429	.Container exposes one side or row of retained receptacles
392	..Yarn	430	.Coaxial, abutting receptacles
393	..Material extended between rolls	431	.Noncylindrical receptacles
		432	.Shrink-type wrapper
		433	.Shock protection

434	.Four-sided wrapper	454	.Fragile or sensitive (e.g., glass mirror)
435	.Inwardly moving side member	455	..Photo film or plate
528	<b>FOR AMPULE, CAPSULE, PELLET, OR GRANULE</b>	456	..Specimen or photo slide
529	.Suppository type	457	<b>WITH ORNAMENTATION OR SIMULATION</b>
530	.Single unit container	458	.Simulates wearing of article
531	.Structure for "press-out" of content unit	459.1	<b>WITH INDICATOR (I.E., VARIABLE INFORMATION EXHIBITING MEANS)</b>
532	.With rupture means for access	459.5	<b>WITH INDICIA OR AREA MODIFIED FOR INDICIA</b>
534	.With indicia or indicator	460	<b>ARTICLE ADHESIVELY SECURED TO SUPPORT</b>
534.1	.Single layer in edge-to-edge array	461	<b>ARTICLE HOUSING ATTACHED TO PANEL</b>
534.2	..With means for lateral access	462	.Housing projects from panel aperture
535	.Stacked within container	463	..Projecting from both sides of panel
536	..Limited access by component manipulation	464	.Tongue and slot-type attachment
537	...Pocket pen type	465	..Housing flanges held in parallel slots in panel
538	.Compartmented	466	.Bag-type housing
539	..Single unit	467	.Movable or detachable housing closure
533	...With limited access via radial face of "pill box"	468	..Sliding
540	.Plural loose content	469	..Frangible
438	<b>FOR BODY TREATMENT ARTICLE OR MATERIAL (I.E., "SURGICAL" OR THERAPEUTIC TYPE)</b>	470	..Hinged
439	.With gas permeable cover	471	.Housing contoured to retain article
440	.Bandage, drape or dressing	472	<b>BOOK-TYPE COVER WITH ATTACHED ARTICLE RETAINER</b>
441	..Short strip type	473	.Diverse retainers for one or more articles
63.3	.Ligatures	474	.Tongue and slot-type cover closure
63.5	.Dental	475	.Content inspection opening in cover
69	<b>FOR RUBBER BAG OR TUBE (E.G., PROPHYLACTIC)</b>	775	<b>HAVING POSITIONING MEANS AND DISPLAY OPENING</b>
71	<b>FOR METALLIC LEAF</b>	776	.Transparent window
442	<b>BALE-TIE PACKAGE</b>	777	..Across aperture
443	<b>FOR PLURAL RODLIKE ARTICLES</b>	778	..Transparent flexible sheet
445	<b>FOR PLURAL DISCLIKE ARTICLES (E.G., BOTTLE CAPS)</b>	779	.Article projects from display opening
554	<b>PLURAL PAPER BAGS (I.E., STACK OR PACK)</b>	780	..Opposed holes
446	<b>FOR CYLINDER</b>	781	.Window common to top wall and side wall
447	<b>FOR TACKY MATERIAL (E.G., FLY PAPER)</b>	782	.Plural windows
448	<b>FOR CURVED PANEL (E.G., CURVED AUTO GLASS)</b>	783	.Window defined by flaps
449	<b>FOR PLATE OR SHEET</b>	476	<b>ARTICLE IN TONGUE OR FOLD APERTURE</b>
555	.With access means for manual content removal (e.g., desk tray)	477	<b>BASE WITH ATTACHED CLASPING-TYPE ARTICLE RETAINER</b>
556	..With follower	478	.Pliant retainer
450	.Book-type cover with attached retainer	479	..Plural loops formed from continuous strip or strand
451	.Bound or clamped package		
452	..Threaded clamping member		
453	.Corner or edge protector		



480	.Resiliently biased rigid retainer	1.5	<b>WITH STRUCTURAL LOCKING MODIFICATION</b>
481	.Rigid loop-type retainer	497	<b>SHRINK FILM PACKAGE (E.G., BY HEAT OR VACUUM)</b>
482	.Tongue-type retainer struck from base	499	<b>NESTING OR VERTICAL STACKING WITHIN CONTAINER OR WITHIN RETAINER</b>
483	.Diverse retainers for one or more articles		
484	<b>LAMINATE SHEET PACKET</b>	500	.Lamp shades, globes, reflectors
484.1	.With gas permeable cover	501	<b>DIFFERENT RECEPTACLES WITH MEANS FOR STACKING</b>
484.2	.Cover of plural lamina		
485	<b>ARTICLE HELD IN APERTURES OF OPPOSED WALLS</b>	502	.Cup and saucer type
485.1	.Cuplike article	503	<b>STRUCTURAL FEATURES FOR VERTICAL STACKING, I.E., SIMILAR RECEPTACLES</b>
486	<b>ARTICLE HELD IN APERTURE IN BASE</b>		
487	.Tongue and slot-type base sample connection	504	.Having specified means for lateral stacking
488	.Supplementary retainer	505	.Having specified means for nesting instead of stacking
489	.Sheet type	506	..Selectively positioned abutment (e.g., bail or handle)
490	.Peripheral aperture	507	..By selective orientation of superposed receptacles
493	<b>RETAINER ENTERS OPENING IN ARTICLE</b>	508	.Closure structure specified for stacking
494	<b>FOR FOLDED SHEETLIKE ARTICLE</b>	509	.Having vertical projecting element or recess for interlock
495	<b>SUPPORT PANEL HAVING ARTICLE PINNED OR WRAPPED THEREON</b>	510	..Handle type
37	<b>FOR POCKET OR PERSONAL USE</b>	511	..Plural distinct feet or supports type
37.1	.For a key	512	..Corner lug or ear type
37.2	..Including external element for ejecting key	513	.Formed from wire or rod of reticulated body fabric
37.3	..Key frictionally retained in container	514	<b>DIFFERENT RECEPTACLES WITH STRUCTURAL FEATURES FOR NESTING</b>
37.4	..Compartmented	515	<b>STRUCTURAL FEATURES FOR NESTING IDENTICAL RECEPTACLES OR CLOSURES</b>
37.5	..Including key retainer of two elements movable relative to each other and to the container	516	.With separate cushion or spacer means
37.6	..Including plural, serially aligned key retainers	517	.Distortable for nesting or components of "knockdown" receptacles
37.7	...Removable	518	.Noncircular receptacles (e.g., trays)
37.8	..Including key retainer for common mounting of plural keys	519	.Having defined means to limit extent of nesting
496	.Debris (e.g., ashes)	520	..Defined means at closed end of receptacle
39	.Ticket case	557	<b>TRAY TYPE</b>
39.1	..With means to retain stub	558	.Plural lateral array
39.2	...Piercing pin type	559	.With content manipulator means
39.3	..Plural stacks, coils, or fan-folded strips	560	.With content latch means
39.4	..With ejector mechanism	561	.With partition
39.5	..With opening for ejection by finger		
39.6	...Pull type		
39.7	..Folded card or folded sheet content		
39.8	..Coiled strip or fan-folded strip content		

562 .With aperture for article  
 563 ..Specified shape  
 564 .With recess or groove for article  
 565 .With article retainer  
 566 .For jewelry  
 567 .For refuse  
 521 **SHOCK PROTECTION TYPE (E.G., FREE FALL)**  
 521.1 .For an egg, fruit, or vegetable (e.g., egg carton)  
 521.15 ..Divisible container  
 521.2 ..Single item  
 521.3 ..Including parallel partitions attached to two opposing container walls by triangular webs  
 521.4 ...Including a transverse partition folded up from the bottom wall  
 521.5 ..Including parallel partitions which project through openings in opposed container walls  
 521.6 ..Item supported in an opening in a retaining element  
 521.7 ...Item supported in openings of spaced retaining elements  
 521.8 ..Including a curved or sloping support surface for an item  
 521.9 ...V-shaped  
 522 .Inflated retainer  
 523 .Foamlike retainer  
 524 ..In situ  
 583 .With sling or suspension means  
 584 .With surround or flowable or particulate-like material; e.g., "pop corn"  
 585 .Stack, pile or nest arrangement  
 586 .With distinct corner or edge protector  
 587 .With groovelike support  
 588 .With article aperture in retainer  
 589 ..Plural apertures for plural article  
 590 ..Plural apertures for article  
 591 .With yieldable retainer  
 592 ..Configured for article  
 593 ..Separator between articles  
 594 ..Distinct liner  
 83.5 **FOR BALE**  
 524.1 **WITH SPECIFIED MATERIAL FOR CONTAINER OR CONTENT**  
 524.2 .Plural different lamina wall

524.3 .For container lining, coating, or impregnate  
 524.9 ..Plural similar lamina  
 524.4 .For content inhibitor or stabilizer  
 524.5 .For caustic or deliquescent content  
 524.6 .For container  
 524.7 ..Soluble container  
 524.8 **EVACUATED**  
 784 **FOLDED BLANK HAVING POSITIONING MEANS THEREIN**  
 525 **WITH ARTICLE CONTENT**  
 525.1 .Content folded with blank  
 526 .Plural  
 527 **MISCELLANEOUS**

#### CROSS-REFERENCE ART COLLECTIONS

800 **CHEWING GUM**  
 802 **SHIRRED SAUSAGE CASING**  
 803 **EMERGENCY (E.G., FLARE, FIRST AID, SURVIVAL PACK)**  
 804 **WITH MEANS TO LIFT OR DRAW OUT CONTENT**  
 805 **RUBBER BAND**  
 806 **SUSPENSION**  
 807 **TAMPER PROOF**  
 809 **X-TYPE**  
 810 **ZIPPER (I.E., RECEPTACLE SECUREMENT)**  
 811 **WATERPROOF**  
 812 **PACKAGED TOWEL**  
 813 **ADHESIVE**  
 814 **SPACE FILLER**  
 815 **FINGER OPENING**  
 816 **FLEXIBLE CLOSURE (E.G., SLIDING DESKTOP TYPE)**  
 817 **FOLLOWER**  
 818 **MAGNET**  
 819 **MATERIAL**  
 820 **SEPARABLE, STRIPLIKE PLURAL ARTICLES**  
 821 **STACKING MEMBER**  
 822 **SPECIAL SHAPE**  
 823 **COSMETIC, TOILET, POWDER PUFF**  
 824 **TEAR APERTURES FOR ROLL, STRIP, OR SHEET**  
 825 **RECOIL-TYPE RETAINER**  
 828 **MEDICINAL CONTENT**  
 829 **VACUUM, OR SUCTION, CUP ADJUNCT**  
 830 **BISCUIT PACKAGE**

831        **DETACHABLE COUPON**  
832        **SEMICONDUCTOR WAFER BOAT**  
833        .Apertured side walls

**FOREIGN ART COLLECTIONS**

FOR 000 **CLASS-RELATED FOREIGN DOCUMENTS**

